

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

in the bulletins before us, and containing descriptions of nearly 150 new species. There are also notes on the Gramineae by E. Hackel, including descriptions of 2 new species; an account of the Scitamineae by Henry N. Ridley, 8 new species being characterized; and 10 new species of Acanthaceae by C. B. Clarke.—J. M. C.

Aster.—In 1902<sup>4</sup> E. S. Burgess published a "History of Pre-Clusian Botany in its relation to Aster;" and now a second paper on Aster has appeared,<sup>5</sup> which deals with the "Biotian Asters." Under the head of variation, specific limits in the genus are discussed; also normal characters and the comparative variability of organs. There is no group of flowering plants in which such a discussion would seem more difficult. A systematic treatment of the species is also begun, 84 species being presented with great fullness, 58 of which are published for the first time; also 10 subspecies and about 250 subordinate forms are characterized.—J. M. C.

Festuca.—C. V. PIPER<sup>6</sup> has published a monograph of the North American species of Festuca, recognizing 34 species, and characterizing 3 of them as new. A third subgenus is added to Vulpia and Eufestuca, to include F. confinis Vasey, and is called Hesperochloa. There are also notes on several Mexican species including descriptions of 2 new species. A new word is added to the terminology of grasses. The word "glume" is restricted to the "empty glumes;" while the "lower palet" or "outer palet" or "flowering glume" of authors is the lemma, a Greek word meaning husk or scale.—I. M. C.

Plants of the Bahamas.—Dr. C. F. MILLSPAUGH, Field Columbian Museum, has issued the first paper<sup>7</sup> of a series dealing with the flora of the Bahamas, Amaranthaceae, Euphorbiaceae, Rubiaceae, and Verbenaceae are presented, and a new species of Solanum is described. New species are also described under Iresine (2), Argythamnia (2), Euphorbia (3), Chiococca, Lantana, Valerianodes, and Callicarpa; and two new genera (Nashia and Pseudocarpidium) of Verbenaceae are established.—J. M. C.

Lichens of Santa Cruz.—A. W. C. R. HERRE<sup>8</sup> has published an account of the foliaceous and fruticose lichens of the Santa Cruz peninsula, which is a natural biological region lying west of San Francisco Bay and extending south-

<sup>4</sup> Mem. Torr. Bot. Club, 10.

<sup>&</sup>lt;sup>5</sup> Burgess, Edward Sanford, Species and variations of Biotian Asters, with discussion of variability in Aster. Mem. Torr. Bot. Club 13: 419. figs. 108. 1906.

<sup>&</sup>lt;sup>6</sup> PIPER, CHARLES V., North American species of Festuca. Contrib. U. S. Nat. Herb. 10: 1-48. pls. 1-15. 1906.

<sup>7</sup> MILLSPAUGH, C. F., Praenunciae Bahamenses. I. Field Columb. Mus. Bot. 2:137–184. 1906.

<sup>&</sup>lt;sup>8</sup> HERRE, ALBERT W. C. T., The foliaceous and fruticose lichens of the Santa Cruz peninsula, California. Proc. Wash. Acad. Sci. 7:325–396. 1906.